

VÁLVULA DE GLOBO PRESSURE SEAL 900#/1500#/2500# BW

GLOBE VALVE PRESSURE SEAL 900#/1500#/2500# BW



Fig. 5319

Características / Features

Diseño / Design	ASME B16.34. Tapa pressure seal / ASME B16.34 Pressure seal bonnet
Rating	900# / 1500# / 2500#
Distancia entre caras / Face to face	ASME B16.10
Extremos / Ends	BW

Materiales / Materials

N°	Descripción / Part name	Material
1	Cuerpo / Body	A216 WCB / A351 CF8M
2	Asiento / Seat	A182 F6A + STL / A182 F316 + STL
3	Obturador / Disc	A216 WCB + STL / A351 CF8M + STL
4	Eje / Stem	AISI 410 / A182 Gr.F316
5	Junta / Gasket	AISI 304 / AISI 316

Dimensiones / Main dimensions

Tamaño / Size		L			H			Peso / Weight Kg		
DN	NPS	900#	1500#	2500#	900#	1500#	2500#	900#	1500#	2500#
50	2"	216	216	454	457	482	495	41	47	74
65	2½"	254	256	524	457	482	495	41	47	74
80	3"	305	305	584	457	577	603	41	79	114
100	4"	356	406	683	584	685	685	90	151	140
150	6"	508	559	927	825	933	971	264	367	459
200	8"	660	711	1038	990	1193	1200	437	626	767
250	10"	787	864	1292	1186	1270	1416	727	1163	1320
300	12"	914	991	1444	1320	1447	1524	1030	1835	1905
350	14"	990	-	-	1524	-	-	1534	-	-

